

SK: General Options

The following options are available in the General Options section:

General options

Title

Average Purchase Time

Type

Gauge

KPI

MEDIAN(CALC_THROUGHPUT(FIRST_OCCURRENCE['Create

Units

d

Subtitle

Predefined formats

Custom Formula

Formatting formula

COLORING THRESHOLDS

0

14

28

42

56

0

14

28

42

56

Add threshold

☐ Component is not filtered with selections

The title will appear above the Single KPI area in your analysis sheet.

Average Purchase Time

28

Please specify your desired title into the text field.

Title



Average Purchase Time

Next to the text field, a small pencil icon () appears.

This will open the [area options](#), or display the title configuration directly under the text field:

TITLE

Average Purchase Time

Translate

TITLE FORMATTING

Font

Size

Default font

xxx-large 2...

B *I* U

A  

You may edit your font, its size ,text highlighting, colors (font-, background - and border color) and your text orientation.

The Single KPI comes with 4 different types, that can be compared to skins.

Type

KPI

MEDIAN(CALC_THROUGHPUT (

Gauge

Gauge

Radial

Fill

Number

Choose any type from the dropdown list.


Let's examine the types a little further:

Gauge is the default type of a Single KPI.

Your component will be displayed like a tachometer:



Your KPI will be aggregated to a circle line:



Your component will be displayed as a vertical bar.



Your component will be displayed as a single number.

8 d

Enter your [PQL statement](#) in the KPI section.

You can make use of the [Formula Editor](#).

For the sample charts that are shown in the screenshot, the following PQL statement has been created with the formula editor to display the median time (in days) that a case in a Purchase-to-pay process needs from the Creation of a purchase order until the reception of goods.

Average Purchase Time

```
MEDIAN(CALC_THROUGHPUT(FIRST_OCCURRENCE['Create Purchase Order'] TO FIRST_OCCURRENCE['Receive Goods'],  
REMAP_TIMESTAMPS("_CEL_P2P_ACTIVITIES"."_EVENTTIME", DAYS)))
```

In the Units field you can specify a custom unit, which will be displayed right after the aggregated number of the KPI.

Units


d

8 d

To show a Subtitle under your component, you can use this text field:

SUBTITLE

My subtitle|



Next to the text field, a small pencil icon () appears.

This will carry you on to the [Formatting Options](#)


As you can see, Single KPIs work with colors.

You can choose between a Single color or use color thresholds, to color your KPI according to a certain value area.

Single Color


Select *Single Color* and choose a color from the color palette.

Your whole component will be colored in this color.




Color Threshold

Select *Threshold* to make use of value area coloring.



The displayed numbers are our thresholds.

To edit them, click on any marked area in the color stripe:



Here, you can assign a threshold as a [PQL statement](#) or enter a static number.

Entering a PQL statement allows you to color your thresholds in a dynamic matter. Not only your aggregated KPI, but also your thresholds will adopt as soon as changes in the datamodel occur.

Additionally you can use the well known color palette to define a color.

This color will be applied to all values that are smaller or equal to the threshold.

To delete your threshold, click on *Delete threshold*.

Don't forget to save your settings with [Done](#).

To add a new threshold, use the link next to the color stripe:

[Add threshold](#)

Thresholds are sorted automatically in an ascending order.

Please note, that all thresholds that exceed your aggregated KPI will be displayed in different grey colors.





Please Note

This option is only available, when you have selected the type **Number** (see above).

By default, the text size is adapted to the size of the chart area. However, you can set a manual text size by selecting *Manual*.

TEXT SIZE

☐ Automatic ☒ Manual

Font size

Alignment

Enter your desired *Font size* and your text-alignment.

If you activated a subtitle, these settings also apply for the subtitle.

If you don't want your component to be affected by *any* external [selection](#), activate the *Component is not filtered with selections* checkbox.

☐ Component is not filtered with selections