## **Source Configurations**

The Source configuration screen allows you to specify the source systems for the authentication system and the user / group providers.

## **Overview**

System Settings								
General	Exceptions Deta loads	Notifications	Source configurations	User provider	Group provider	Authentication	Mall	
Source configuration								
Here you can specify the source systems for the authentication system and the user / group providers. You can configure LDAP systems and database systems here.								
1 LDAP SOURCES	3 Add	SOURCE CO	NFIGURATION				Dolete	Seve
CORP		Name CH4						_
2 DATABASE SOURCES	3 Att	Concose a	I CH4:30015/?currentsche	ma+DEMO_P2P_	LATE_2017&encry	pt=true&validateC	ertificate=false	
New DATABASE Source		Cetabese U	semame					
044		Database Pa	issword					
		Database dr	iverclassname					
		com.sep.db.jdbc.Driver						

Here you can configure LDAP systems and database systems.

- 1. LDAP sources: list of connected LDAP sources. LDAP sources are used to manage user and group permissions.
- 2. Database sources: list of connected database sources.
- 3. Add: click on this button to add new LDAP or Database sources.

Source configuration:

- 4. Name: source name.
- 5. URL: url of the source.
- 6. Username: username to login into the database.
- 7. Password: password to login into the database.
- 8. Driver: class name of the database driver.