
Case (Explorer)

The Case Explorer is an intuitive tool for examining single cases and their associated activities.
The data provided will be presented as a table:



CASE ID	NUMBER OF ACTIVITIES	DURATION	_CASE_KEY	CLIENT	PURCHASING DOCUME...	ITEM	DELETION INDICATOR	RFQ STATUS	LAST CHANGED ON	SHORT TEXT	MATERIAL
234156	6	1M	234156	800	0000234156	70020	--	--	2009-10-11 22:00:00	Flatscreen LE 50 P	E-02310
23416	8	1M	23416	800	0000023416	00010	--	--	2008-02-27 23:00:00	IT Maint. 5580	--
234160	6	1d	234160	800	0000234160	70010	--	--	2009-10-11 22:00:00	Flatscreen LE 50 P	M-0127(
234172	6	17d	234172	800	0000234172	70020	--	--	2009-10-11 22:00:00	Zündspule 3000	1300-51
234176	3	1M	234176	800	0000234176	70020	--	--	2009-10-11 22:00:00	Pyridin CDE 50%	500-130
234180	6	1M	234180	800	0000234180	70060	--	--	2009-10-11 22:00:00	Diamino Toluene 50%	500-170
234184	6	1M	234184	800	0000234184	70100	--	--	2009-10-11 22:00:00	Cyanuric Chloride 5...	500-210
234188	5	3d	234188	800	0000234188	70010	--	--	2009-10-11 22:00:00	Hexagon head scre...	99-130
234192	3	16h	234192	800	0000234192	70010	--	--	2009-10-11 22:00:00	Rohrverlegungsarb...	--
234196	1	1s	234196	800	0000234196	70040	--	--	2009-10-11 22:00:00	Palette 110 x 110 x ...	PK-095
23420	8	1M	23420	800	0000023420	00010	--	--	2008-02-27 23:00:00	Oranges	CPF301
234200	1	1s	234200	800	0000234200	70080	--	--	2009-10-11 22:00:00	Palette 110 x 110 x ...	PK-095
234204	1	1s	234204	800	0000234204	70010	--	--	2009-10-11 22:00:00	Desktop Standard ...	DPC900
234208	1	1s	234208	800	0000234208	70050	--	--	2009-10-11 22:00:00	HD-Controller Enha...	DPC900
234212	1	1s	234212	800	0000234212	70090	--	--	2009-10-11 22:00:00	Motherboard Penti...	C-1112
234216	1	1s	234216	800	0000234216	70130	--	--	2009-10-11 22:00:00	SIM-Modul 32 MB ...	DPC901
234220	1	1s	234220	800	0000234220	70010	--	--	2009-10-11 22:00:00	Rohrverlegungsarb...	--
234224	1	1s	234224	800	0000234224	70010	--	--	2009-10-11 22:00:00	Pipeline	--
234228	7	15d	234228	800	0000234228	70010	--	--	2009-10-11 22:00:00	Pipeline	--
234232	4	2M	234232	800	0000234232	70010	--	--	2009-10-11 22:00:00	Hohlwelle (Mengen...	T-CONT
234236	4	2M	234236	800	0000234236	70030	--	--	2009-10-11 22:00:00	Hydrochloric Acid 5...	500-140
23424	8	1M	23424	800	0000023424	00010	--	--	2008-02-27 23:00:00	Cinnamon	CPF301
234240	4	2M	234240	800	0000234240	70070	--	--	2009-10-11 22:00:00	Sodium Nitrate 50%	500-180
234244	4	2M	234244	800	0000234244	70110	--	--	2009-10-11 22:00:00	Natriumcarbonat 50%	500-220
234248	4	2M	234248	800	0000234248	70010	--	--	2009-10-13 22:00:00	11Mbps Wireless P...	DPC201
234252	4	2M	234252	800	0000234252	70020	--	--	2009-10-13 22:00:00	Cordless Click! Opti...	DPC201
234256	1	1s	234256	800	0000234256	70010	--	--	2009-10-12 22:00:00	Raw Material 101 (...	DH-101
234260	3	1M	234260	800	0000234260	70020	--	--	2009-10-11 22:00:00	KANBAN item 2 - P...	LSS-KB2
234264	2	16h	234264	800	0000234264	70030	--	--	2009-10-11 22:00:00	TFT Monitor, 21"	3007-03
234272	3	1M	234272	800	0000234272	70010	--	--	2009-10-11 22:00:00	Alter Industriereinig...	P182_W
234276	3	1M	234276	800	0000234276	70030	--	--	2009-10-11 22:00:00	Connector 24	VIPER_[
23428	8	1M	23428	800	0000023428	00010	--	--	2008-02-27 23:00:00	Label Canned Fruit...	CPF401


Order columns

As the Case Explorer usually displays a lot of cases, you might want to start ordering the columns, to obtain relevant information at a glance.

Simply Drag&Drop the columns with your mouse.

Search

To search for data in a specific column, hover the column title. A lens icon will show up next to the column title:



Click the lens to open a search field.




Enter your search and press Enter on your keyboard.

Now the whole table will only show cases that include your search value in your selected column.

You can even apply different searches on various columns!

Just repeat these instructions for any other column.


All columns that are affected by a search will be marked with a blue lense:



To alter or delete your search, click on the lense. The search field will open again.

Sorting

To sort one or several columns, left-click on any column title. A sorting field will come up:



You can choose between a descending sorting rule, or an ascending sorting rule.

By default, every column is set to "No sorting" (and will thus be sorted by the Case ID column).

Sorting in Data Models

Your Data Model might already include sorting rules for the Case Table.

These can be pre-defined in the Data Integration process (learn more about Data Integration in the Data Scientist chapter).

You can recognize active sorting rules by a small  symbol. You can alter or remove your sorting rule by clicking on this icon.

Undo all sorting rules

To undo all existing sorting rules (among all columns), select 

.